



RKD BEARING LLC

2.938 Inch | 74.625 Millimeter x 2.559 Inch | 65 Millimeter x 3.74 Inch | 95 Millimeter Timken LSE215BRHSATL Split Roller Bearing Cartridges



LSE215BRHSATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE215BRHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	14.96
EAN	0013992040367
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	LSE215BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row Light Duty With Support Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



RKD BEARING LLC

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Weight / LBS	32.96
B	3.74 Inch 95 Millimeter
D	2.559 Inch 65 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Nominal Bolt Center to Center	10.6 Inch 270 Millimeter
d	2.938 Inch 74.625 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Actual Bolt Center to Center	10.6 Inch 270Millimeter
Shaft Size	2-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	2 x M20
Weight	42 lb
Dimension H	3.740 in
Dimension H1	1.5 in
Dimension H2	8.2 in
Dimension J	10.6 in
Dimension L	13.0 in
Dimension M	3.0 in
Housing Width	4.5 in
Cr - Dynamic Load Rating	31024 lbf
Cor - Static Load Rating	36194 lbf



RKD BEARING LLC

Ca - Axial Load Rating	1708.53 lbf
Maximum Speed	3310 rpm
Note	This product line was formerly known as "Revolvo"